Erratum for "Using Stochastic Dynamic Programming to Support Water Resources Management in the Ziya River Basin, China" by Claus Davidsen, Silvio J. Pereira-Cardenal, Suxia Liu, Xingguo Mo, Dan Rosbjerg, and Peter Bauer-Gottwein

Davidsen, Claus; Cardenal, Silvio Javier Pereira; Liu, Suxia; Mo, Xingguo; Rosbjerg, Dan; Bauer-Gottwein, Peter

Published in:
Journal of Water Resources Planning and Management

Link to article, DOI:
10.1061/(ASCE)WR.1943-5452.0000504

Publication date:
2015

Document Version
Publisher's PDF, also known as Version of record

Erratum for "Using Stochastic Dynamic Programming to Support Water Resources Management in the Ziya River Basin, China" by Claus Davidsen, Silvio J. Pereira-Cardenal, Suxia Liu, Xingguo Mo, Dan Rosbjerg, and Peter Bauer-Gottwein

DOI: 10.1061/(ASCE)WR.1943-5452.0000482

Claus Davidsen

Ph.D. Student, Dept. of Environmental Engineering, Technical Univ. of Denmark, Miljovej, Building 113, 2800 Kgs. Lyngby, Denmark; Key Laboratory of Water Cycle and Related Land Surface Processes, Institute of Geographic Sciences and Natural Resources Research, Chinese Academy of Sciences, 11A, Datun Rd., Chaoyang District, Beijing 100101, P.R. China; and Sino-Danish Center for Education and Research, Niels Jensens Vej 2, 8000 Aarhus C, Denmark (corresponding author). E-mail: clad@env.dtu.dk

Silvio J. Pereira-Cardenal, Ph.D.

Ph.D. Student, Dept. of Environmental Engineering, Technical Univ. of Denmark, Miljovej, Building 113, 2800 Kgs. Lyngby, Denmark. E-mail: sjpc@env.dtu.dk

Suxia Liu

Professor, Key Laboratory of Water Cycle and Related Land Surface Processes, Institute of Geographic Sciences and Natural Resources Research, Chinese Academy of Sciences, 11A, Datun Rd., Chaoyang District, Beijing 100101, P.R. China. E-mail: liusx@igsnrr.ac.cn

Xingguo Mo

Professor, Key Laboratory of Water Cycle and Related Land Surface Processes, Institute of Geographic Sciences and Natural Resources Research, Chinese Academy of Sciences, 11A, Datun Rd., Chaoyang District, Beijing 100101, P.R. China. E-mail: moxg@igsnrr.ac.cn

Dan Rosbjerg

Professor Emeritus, Dept. of Environmental Engineering, Technical Univ. of Denmark, Miljovej, Building 113, 2800 Kgs. Lyngby, Denmark. E-mail: daro@env.dtu.dk

Peter Bauer-Gottwein

Associate Professor, Dept. of Environmental Engineering, Technical Univ. of Denmark, Miljovej, Building 113, 2800 Kgs. Lyngby, Denmark. E-mail: pbau@env.dtu.dk

Some units in Table 1 were inadvertently changed during composition from Mm^3 to mm^3. Table 1 with the correct units appears next.

ASCE regrets the error.

Table 1. Model Input Data including Water Demands, Water Values, and Reservoir Properties

Input data	Value	Unit	Source
Industrial water demands			
Hai River basin	6.6	km^3/year	Berkoff (2003)
Area of Hai River basin	318,866	km^2	Moiwo et al. (2009)
Area of Ziya River basin	52,299	km^2	—
Area upstream reservoirs	26,048	km^2	—
Total water demand[a]	1,083	Mm^3/year	—
Downstream demand[a]	543	Mm^3/year	—
Upstream demand[a]	539	Mm^3/year	—
Industrial water values, curtailment costs			
Urban[b]	6.4	CNY/m^3	World Bank (2001)
Rural[b]	4.3	CNY/m^3	World Bank (2001)
Average	5.3	CNY/m^3	—
Domestic water demands			
Hebei Province	123	l/person/day	NBSC (2011)
Shanxi Province	106	l/person/day	NBSC (2011)
Total population inside basin	25.0	M people	Bright et al. (2008)
Upstream population	5.8	M people	Bright et al. (2008)
Downstream demand	864	Mm^3/year	—
Upstream demand	223	Mm^3/year	—
Water demand Beijing[c]	1,000	Mm^3/year	Ivanova (2011)
Domestic water values (curtailment costs)			
Urban[b]	3.2	CNY/m^3	World Bank (2001)
Rural[b]	3.2	CNY/m^3	World Bank (2001)
Average	3.2	CNY/m^3	—
Curtailment cost Beijing[b]	5.5	CNY/m^3	Berkoff (2003)
South-North Transfer Project, middle route			
Inflow from Yangtze	9,500	Mm^3/year	Water-technology.net (2013)
Water demand 100 cities	7,400	Mm^3/year	Wang and Ma (1999)
Arable land on the NCP	179,500	km^2	Liu et al. (2011)
Water for NCP users in Ziya[d]	1,307	Mm^3/year	—

Table 1. (*Continued*.)

Input data	Value	Unit	Source
Ecosystem water demand			
Minimum diversion[e]	100	Mm^3/year	—
Reservoir storage			
Dongwushi	152	Mm^3	HWCC (2012)
Gangnan	1,570	Mm^3	HWCC (2012)
Huangbizhuang	1,210	Mm^3	HWCC (2012)
Lincheng	180	Mm^3	HWCC (2012)
Zhuzhuang	436	Mm^3	HWCC (2012)
Aggregated reservoir storage	3,548	Mm^3	—
Hydropower production			
Maximum turbine capacity[f]	1,500	Mm^3/month	HEBWP (2013)
Electricity price[b]	0.40	CNY/kWh	China Daily (2012)
Installed turbine capacity	69	MW	Aggregate[h]
Hydropower benefits[g]	0.036	CNY/m^3	—

Note: All prices have been converted to 2005 CNY with the consumer price index based on World DataBank (2013).
[a]Demands scaled with the areas.
[b]Converted to 2005 prices.
[c]Based on plan described by the People's Government of Hebei Province (2012).
[d]Remaining SNWTP water distributed evenly to NCP arable land and scaled to the downstream Ziya River basin.
[e]Estimated demand of Baiyangdian Lake based on Honge (2006). Model ecosystem diversions fixed to July.
[f]Capacities from Huangbizhuang, Zhuzhuang, and Dongwushi Reservoirs scaled to the remaining reservoirs.
[g]Estimated from maximum production, maximum turbine capacity, and current electricity price.
[h]From HEBWP (2013), HWCC (2013), Baidu Encyclopedia (2012, 2013a, b).